


MB857-1




MB857-1M




Material: Zinc alloy handle, shaft tube and dust-proof cap, Stainless steel cup, cam and shaft

Finish: Mirror polished stainless steel cup, bright chrome-plated handle, shaft tube


Remarks: Key K1333



Specification	Part number
hole type	MB857-1
stud type	MZ857-1M



MB857-1MG-Z



MB857-1MG-Y




Material: Zinc alloy handle, shaft tube and dust-proof cap, Stainless steel cup, cam and shaft

Finish: Mirror polished stainless steel cup
bright chrome-plated handle, shaft tube

Remarks: Key K1333




Specification	Part number
hole-type with padlock and left-opening	MB857-1G-Z
hole-type with padlock and right-opening	MB857-1G-Y
stud-type with padlock and left-opening	MB857-1MG-Z
stud-type with padlock and right-opening	MB857-1MG-Y

MB857-1D






Material: Zinc alloy handle, shaft tube
Stainless steel cup, cam and shaft

Finish: Mirror polished stainless steel cup
bright chrome-plated handle, shaft tube



Part number

MB857-1D



MB858-1



RL

IP54



Material: Zinc alloy handle,shaft tube and dust-proof cap,Stainless steel cup, cam and shaft

Finish: Mirror polished stainless steel cup bright chrome-plated handle,shaft tube


Remarks:KeyK1333

面板锁

Part number

MB858-1



MB866-1



Material: Zinc alloy housing and insert
Steel cam


Finish: Power coating(black) housing
and insert,Galvanized cam

Application: 90 degree rotation to
open or close




Part number

MB866-1



MB866-2



RL

IP54



Material: Zinc alloy housing and insert
Steel cam

Finish: Power coating(black) housing
and insert,Galvanized cam


Application: 90 degree rotation to
open or close

面板锁

Part number

MB866-2




MB866-3






Material: Steel cup, handle and support
Stainless steel cam, Zinc alloy insert

Finish: Power coating (black) cup, handle
and insert, Galvanized cam and support


Remarks: Key K1333



Specification	Part number
Steel with insert	MB866-3
Steel without insert	MB866-3A
Stainless steel with insert	MB866-3S
Stainless steel without insert	MB866-3SA



MB866-4



RL

IP54



Material: Steel cup, handle and support and cam, Zinc alloy insert


Finish: Power coating (black) cup, handle bright chrome-plated insert

Remarks: Key K1333

面板锁

Specification	Part number
With insert	MB866-4
Without insert	MB866-4A

MB866-5






面板锁




Material:Steel cup,handle and support cam and welding screw,Zinc alloy insert

Finish: Power coating(black) cup,handle bright chrome-plated insert,Galvanized cam,support and welding screw

Remarks:KeyK1333



Specification	With insert	Without insert
	Part number	Part number
H=31.5	MB866-5	MB866-5A
H=55	MB866-5C	MB866-5CA



MB866-5E



RL

IP54



面板锁

Material: Steel cup, handle and support cam and welding screw, Zinc alloy insert

Finish: Power coating (black) cup, handle bright chrome-plated insert, Galvanized cam, support and welding screw

Remarks: Key K1333

Part number

MB866-5E


MB866-7




Material:Stainless steel cup,handle and cam.Zinc alloy insert.

Finish: Mirror polished stainless steel cup bright chrome-plated insert.

Remarks:KeyK1333





Cut out



Part number

MB866-7



MB866-7G



Material: Stainless steel cup, handle and cam. Zinc alloy insert.

Finish: Mirror polished stainless steel cup bright chrome-plated insert.


Remarks: Key K1333

面板锁

Part number




MB866-1P

MB866-8




Material: Stainless steel cup, handle and cam.

Finish: Wiredrawing and polishing



Part number

MB866-8



MB866-27A



RL

IP54



面板锁

Material: Zinc alloy housing and insert
Steel cam

Finish: Power coating(black) housing
and insert,Galvanized cam

Application: 90 degree rotation to
open or close





Part number

MB866-27A

MB901-1




Material: Zinc alloy
Finish: Power coating(black)
Remarks:KeyK1333



Part number

MB901-1



MB901-2



Material: Zinc alloy
Finish: Power coating(black)
Remarks:KeyK1333


面板锁

Part number	MB901-2
-------------	---------

MB902-1




Material: Zinc alloy housing, handle and cam, Steel cup,
Finish: bright chrome-plated housing and handle, Galvanized cam and cup.



Part number

MB902-1



MB902-2



MB902-3



RL

IP54



Material: Zinc alloy or PA6
Stainless steel fastener
Finish: bright chrome-plated for Zinc ally
or Blbck for PA6
Remarks: Other surface treatments or
colors can be customized.

面板锁

Specification	Part number	
	Zinc alloy(bright chrome)	PA(Black)
With insert	MB902-2	MB902-2P
Without insert	MB902-3	MB902-3P



MB905-1



Material: Zinc alloy handle,Steel cup




Finish: Power coating(black)

Remarks:KeyK1333



Part number

MB905-1



MB906-1



Material: Zinc alloy

Finish: bright chrome-plated or
Power coating(black)

Remarks:Spiral-shaped key"1000#"

面板锁

Specification	Part number
Connectable electric motor	MB906-1
Can only be opened by manual	MB906-2