






MP401-3



MP401-3A



Material: Zinc alloy housing and insert

Finish: Bright chromeplated housing
Galvanized steel cam

Application: 90 degree rotation to
open or close

Remarks:KeyK0200

Specification	Part number
With insert	MP401-3
Without insert	MP401-3A

MP401-2



MP401-2G



MP401-2A





Material: Zinc alloy housing and insert
Steel cam





Finish: Bright chromeplated housing
Galvanized steel cam

Application: 90 degree rotation to
open or close

Remarks: KeyK0200



Specification	Part number
Wwith insert	MP401-2
Wwith insert,with padlock	MP401-2G
Wwithout insert	MP401-2A



MP606-1



MP606-1A



Material: Zinc alloy housing
Steel screw

Finish: Powder coating (black)
or Bright chromeplated housing

Application: Quick-open, easy
assembling, by adjusting screw
meets the need of distance control

Remarks: keyCH751

Specification	Part number
With insert	MP606-1
Without insert	MP606-1A

MP606-2



MP606-2A







Material: Zinc alloy housing, handle and button, Steel screw

Finish: Powder coating (black) or Bright chromeplated housing

Application: Quick-open, easy assembling, by adjusting screw meets the need of distance control

Remarks: keyCH751



Specification	Part number
With insert	MP606-2
Without insert	MP606-2A

MP713




Material: Zinc alloy housing, handle and button, Steel screw

Finish: Painting(Nanometer)
Galvanized steel cam

Application: Quick-open, easy assembling

Remarks: keyK14



Part number

MP713-1

MP712-1S



MP712-1SG






Material: SUS316


Finish: Mirror polishing or brushed polishing

Application: Quick-open, easy assembling

Remarks: K0200



Specification	Part number
With insert	MP712-1S
Without insert	MP712-1SG



MP712-2AS



MP712-2ASG



Material: SUS316

Finish: Mirror polishing or
brushed polishing

Application: Quick-open, easy
assembling

Remarks: K0200

平面锁

Specification	Part number
With insert	MP712-2AS
Without insert	MP712-2ASG





MP718-1A







MP718-1AB



Material: Zinc alloy housing
Steel button, Stainless steel screw
Finish: Powder coating (black)
or Bright chromeplated housing
Application: Quick-open, easy
assembling, by adjusting screw
meets the need of distance control
Remarks: keyCH751



Specification	Part number
With insert	MP718-1A
Without insert	MP718-1AB



MP718-2A



MP718-2AB



Material: Zinc alloy housing
Steel button, Stainless steel screw
Finish: Powder coating (black)
or Bright chromeplated housing
Application: Quick-open, easy
assembling, by adjusting screw
meets the need of distance control
Remarks: keyCH751

Specification	Part number
With insert	MP718-2A
Without insert	MP718-2AB





MP718-3A







MP718-3AB



Material: Zinc alloy housing
Steel button, Stainless steel screw
Finish: Powder coating (black)
or Bright chromeplated housing
Application: Quick-open, easy
assembling, by adjusting screw
meets the need of distance control
Remarks: keyCH751



Specification	Part number
With insert	MP718-3A
Without insert	MP718-3AB



MP718-4A



MP718-4AB



IP54



Material: Zinc alloy housing
Steel button, Stainless steel screw
Finish: Powder coating (black)
or Bright chromeplated housing
Application: Quick-open, easy
assembling, by adjusting screw
meets the need of distance control
Remarks: keyCH751

Specification	Part number
With insert	MP718-4A
Without insert	MP718-4AB


MP718-3C




MP718-3CB




Material: Zinc alloy housing
Steel button, Stainless steel screw
Finish: Powder coating (black)
or Bright chromeplated housing
Application: Quick-open, easy
assembling, by adjusting screw
meets the need of distance control
Remarks: keyCH751



Cut out



Specification	Part number
With insert	MP718-3C
Without insert	MP718-3CB



MP718-4C



MP718-4CB



IP54



Material: Zinc alloy housing
Steel button, Stainless steel screw
Finish: Powder coating (black)
or Bright chrome plated housing
Application: Quick-open, easy
assembling, by adjusting screw
meets the need of distance control
Remarks: keyCH751

Specification	Part number
With insert	MP718-4C
Without insert	MP718-4CB


MP726-1




MP726-1A



Material: Zinc alloy housing
Steel button and cam
Finish: Powder coating (black)
Galvanized steel cam
Application: Quick-open, easy assembling, by adjusting screw meets the need of distance control
Remarks: keyK08



Specification	Part number
With insert	MP726-1
Without insert	MP726-1A



MP726-2



MP726-2A



Material: Zinc alloy housing
Steel button and cam
Finish: Powder coating (black)
Galvanized steel cam
Application: Quick-open, easy assembling, by adjusting screw meets the need of distance control
Remarks: keyK08

Specification	Part number
With insert	MP726-2
Without insert	MP726-2A

MP730-1






RL

Material: Zinc alloy housing, handle and button, Steel screw

Finish: Painting(Nanometer)
Galvanized steel cam



Application: Quick-open, easy assembling

Remarks: keyK0200



Part number

MP730-1



MP818-1S



MP818-2C



RL

3PL

Material: Zinc alloy housing, handle and insert, Steel button and cam

Finish: Powder coating (black)
bright chrome plated insert

Galvanized steel cam

Application: Quick-open, easy assembling

Remarks: keyK04

Specification	Part number
With insert	MZ312-3
Without insert	MZ312-4
Without insert, with padlock(RH)	MZ312-4A-R
Without insert, with padlock(LH)	MZ312-4A-L

平面锁

MP843-1



MP843-1A





Material: Zinc alloy housing,
Steel support and cam


Finish: Painting(Nanometer)
Galvanized steel support and cam

Application: Quick-open, easy
assembling

Remarks: keyK08



Specification	Part number
With insert	MP843-1
Without insert	MP843-2A



MP843-2



MP843-2A



Material: Zinc alloy housing,
Steel support and cam

Finish: Painting(Nanometer)
Galvanized steel support and cam

Application: Quick-open, easy
assembling

Remarks: keyK08

Specification	Part number
With insert	MP843-1
Without insert	MP843-1A

MP738-1



MP738-2




Material: Zinc alloy housing,
Steel support and cam



Finish: Painting(Nanometer)
Galvanized steel support and cam

Application: Quick-open, easy
assembling

Remarks: keyK0200



Specification	Part number
With insert	MP738-1
Without insert	MP738-2



MP860-1B



Material: SUS304

Finish: Brushed polishing

Application: The H dimension can be adjusted by nut, padlock available

Specification	Part number
Wtith insert	MZ312-3
Wtithout insert	MZ312-4
Wtithout insert,with padlock(RH)	MZ312-4A-R
Wtithout insert,with padlock(LH)	MZ312-4A-L

MP860-2





MP860-2B




Material: Zinc alloy or stainless steel
Finish: Zinc alloy with bright chrome plating, Stainless steel brushed polishing

Application: The H dimension can be adjusted by nut, padlock available



Specification	Part number
Zinc alloy	MP860-2
SUS304	MP860-2S



MP860-3G



Material: SUS304

Finish: Brushed polishing


Application: Open the handle upward,
with cam 90° rotation opening

平面锁

Part number

MP860-3G

MP860-4S



RL



IP 54




Material: SUS304

Finish:Brushed polishing

Application: The H dimension can be adjusted by nut, padlock available



Part number	MP860-4S
-------------	----------



MP861-2



Material: Zinc alloy housing,
Steel support and cam

Finish: Powder coating (black)
Galvanized steel support and cam

Application: Open the handle upward,
with cam 90° rotation opening

Remarks: keyK14

平面锁

Part number

MP861-2

MP861-2X



MP861-2XG





Material: Zinc alloy housing,
Steel support and cam



Finish: Powder coating (black)
Galvanized steel support and cam

Application: Open the handle upward,
with cam 90° rotation opening

Remarks: keyK14



Specification	Part number
Without padlock	MP861-2X
With padlock	MP861-2XG



MP864-4



MP864-4G



Material: Zinc alloy housing,
Steel support and cam

Finish: Powder coating (black)
Galvanized steel support and cam

Application: Open the handle upward,
with cam 90° rotation opening

The H dimension can be adjusted

Remarks: Insert TC03-5

Specification	Part number
Without padlock	MP864-4
With padlock	MP864-4G